

LUX BITOLA® Bain marie and Neutral Service Units



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- Thermostatic control.
- Power:220 V 50 Hz
- Stainless steel well.
- Water drainage valve.
- Lightining system.
- Optional wooden front surface.
- Stainless steel body.

CD oe ds ec ri p ti o n	Dimensions			NPC eo a tw p ea r ci k ty w
	mm			
	a	b	c	
ES	1500	912	3	
e	x790	9	. . S	
r	x850	57	?	
vi	/135		c	
c	0		a	
e			k	

U +
ni 1
t- N
T ö
o tr
p
S
h
el
f-
S
li
di
n
g
T
r
a
y
ES 1800 1 1 2 4
e x790 1 . . S
r x850 8 8 7 ?
vi /135 c
c 0 a
e k
U +
ni 1
t- N
T ö
o tr
p
S
h
el
f-
S
li
di
n
g
T
r
a
y
ES 1500 9 1 2 3
e x790 9 . . S
r x850 5 7 ?
vi /135 c
c 0 a
e k
U +
ni 1
t- N
T ö
o tr
p
S
h
el
f-
S
li
di
n
g
T
r
a
y

-(

ES 1800 1 1 2 4
e x790 1 . . S
r x850 8 8 7 ?
vi /135 c
c 0 a
e k
U +
ni 1
t- N
T ö
o tr
p
S
h
el
f-
S
li
di
n
g
T
r
a
y
-(

ES 800x 7 0
e 790x 5 .
r 850/ 8
vi 1350
c
e
P
la
t
e
U
ni
t

ES 800x 7 0
e 790x 5 .
r 850/ 8
vi 1350
c
e
P
la
t
e
U
ni
t
(

Reviews

There are yet no reviews for this product.