

LUX BITOLA® Electric Deck Oven (Digital Control)



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- 4.3 inch touch screen LCD control panel.
- Illustrated food menu upload option through external memory.
- 99 different cooking programme.
- Food name defining option through touch screen.
- Manual and periodic steamer.
- User manual accessibility through touch screen.
- Adjustable cooking time.
- Adjustable cooking temperature between 0° C- 350° C
- Safety thermostat for overheating protection (400° C).
- PID system provide sensitive heating (SSR relay).
- Power:14 Kw 380 V
- Steam generator(optional) power:2.7 Kw
- Max temperature:350° C
- Capacity. 6 no's of 350x450 mm trays or 4 no's of 400x600 mm trays .
- Interior dimension:1225 mm x 920 mm
- Adjustable top and bottom heating output.
- Homogenous heat distribution.
- Stainless steel pipe resistance.
- Stainless steel body.
- According to demand single,double or triple layer options.

Fermantation Cabinet

- 3 Kw power.
- 1800x1120 mm dimension.

Ovens : LUX BITOLA® Electric Deck Oven (Digital Control)

- 3x5 layers. (400 mm x 600 mm)
- Adjustable temperature and humidity levels.

CD oe ds ec ri p ti o n	Dimensions mm			I n t e ri o g r D i	NP eo tw e r k w
	a	b	c		

ED 1800 1 2 0 1
e x130 2 7 . 4
c 5x37 3 9 8 K
k 6 4 8 w
O x 3
v 9 8
e 2 0
n 5 V
(x 3
S 2 -
in 4 5
gl 7 0
e H
L z
a
y
e
r)

EH 1800 3 0
o x135 3 .
o 0x28 6
d 3 8

EF 1800 4 1 1 3
e x112 1 8 . K
r 0x92 0 0 8 w
0 x 5 2
9 2
9 0
0 V
x 3
3 -
4 5
5 0
H
z

EB 1800 6 1
o x112 6 .
tt 0x87 7
o 2 5

E 1800 2 0
x112 3 .
0x30 6
0 0

ES 700x	0 2
t 200x	. .
e 288	0 7
a	4 K
	w
	3
	8
	0
	V
	3
	-
	5
	0
	H
	Z

Reviews

There are yet no reviews for this product.