

LUX BITOLA® Pitta and Turkish Pizza Ovens (Without Valve)



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- Working temperature: 180° C -200° C .
- 300 mm x 300 m x 35 mm firebrick coated into the oven.
- Galvanised sheet at the bottom of oven.
- Pearlited rock wool isolation at the top of oven.
- Exterior area made by glazed tile and colour may change according to demand.

CD oe ds ec ri p ti o n	Dimensions mm			I N P ne tt we ee ri ro rk rw D i
	a	b	c	
PP 1200 1 2 4				

Ovens : LUX BITOLA® Pitta and Turkish Pizza Ovens (Without Valve)

L itt x120 0 . 0
Fa 0x17 0 5
. a 20/2 0
Ln 020 x
1 d 1
T 0
u 0
r 0
ki
s
h
P
iz
z
a

PP 1200 1 2 4
L itt x140 0 . 6
Fa 0x17 0 9
. a 20/2 0
Ln 020 x
2 d 1
T 2
u 0
r 0
ki
s
h
P
iz
z
a

PP 1400 1 3 5
L itt x160 2 . 5
Fa 0x17 0 9
. a 20/2 0
Ln 020 x
4 d 1
T 4
u 0
r 0
ki
s
h
P
iz
z
a

PP 1600 1 4 6
L itt x180 4 . 3
Fa 0x17 0 9
. a 20/2 0
Ln 020 x
5 d 1
T 6
u 0
r 0
ki

s
h
P
iz
z
a

F 1400 1
Ö x100 .
T 0x10 4
. 00
0
0

Reviews

There are yet no reviews for this product.