

LUX BITOLA® Plus Convection Ovens (Electric)



Rating: Not Rated Yet  
**Price:**  
Variant price modifier:

Base price with tax:  
Price with discount:  
Salesprice with discount:  
Sales price:  
Sales price without tax:  
Discount:  
Tax amount:

[Ask a question about this product](#)

- Description - 7 inch touch screen LCD control panel.
- Illustrated food menu upload option through external memory.
  - 99 different kind of programme upload options.
  - Food name defining option through touch screen.
  - Manual and periodic steamer.
  - User manuel accessibility through touch screen.
  - Adjustable cooking time.
  - Adjustable cooking temperature between 0° C- 300° C
  - Safety thermostat for overheating protection (360° C).
  - PID system provide sensitive heating (SSR relay)
  - Retractable shower.
  - 2 speed stainless steel fan.
  - Dual direction fan provides homogenous heat distribution.
  - Silicone sealed tempered glass.
  - Easy-access interior glass in order to provide cleanning.
  - Door switch system.
  - Stainless steel body.

|    |            |        |
|----|------------|--------|
| CD | Dimensions | NPC    |
| oe | mm         | eo a   |
| ds |            | t wp   |
| ec |            | ea     |
| ri |            | k r ci |
| p  |            | g k ty |
| ti |            | w lt   |
| o  |            |        |

na b c

EP 1080 2 2 5 4

lux107 5 . 0 0

s 0x18 0 2 KG

C 85 5wN

o 3 -

n 8 1

v 0 /

e V1

ct 3 /

io - 2

n 5 0

O 0G

v HN

e z -

n 2

s /

- 1

E

le

ct

ri

c

al

EP 670x 6 1 1

a 911x 0 . 2

ti 1746 0 x

s 6 (

s 4

e 0

ri x

e 6

T 0

r )

a

y

C

a

rr

yi

n

g

T

r

ol

le

y

a

n

d

T

r

a

y

K

it

ET 670x 6 1 2

r 911x 0 . 4

a 1746 0 G

y 6 N

C -

a 1

rr /

yi 1

n /

g 1

T 2

r G

ol N

|             |     |
|-------------|-----|
| le          | -   |
| y           | 2   |
| a           | /   |
| n           | 1   |
| d           |     |
| T           |     |
| r           |     |
| a           |     |
| y           |     |
| K           |     |
| it          |     |
| ET 670x 6 1 | 3   |
| r 911x 0 .  | 2   |
| a 1746      | 0 G |
| y 6         | N   |
| C           | -   |
| a           | 1   |
| rr          | /   |
| yi          | 1   |
| n           | /   |
| g           | 1   |
| T           | 6   |
| r           | G   |
| ol          | N   |
| le          | -   |
| y           | 2   |
| a           | /   |
| n           | 1   |
| d           |     |
| T           |     |
| r           |     |
| a           |     |
| y           |     |
| K           |     |
| it          |     |
| ET 670x 6 1 | 4   |
| r 911x 0 .  | 0   |
| a 1746      | 0 G |
| y 6         | N   |
| C           | -   |
| a           | 1   |
| rr          | /   |
| yi          | 1   |
| n           | /   |
| g           | 2   |
| T           | 0   |
| r           | G   |
| ol          | N   |
| le          | -   |
| y           | 2   |
| a           | /   |
| n           | 1   |
| d           |     |
| T           |     |
| r           |     |
| a           |     |
| y           |     |
| K           |     |
| it          |     |

Reviews

There are yet no reviews for this product.