

LUX BITOLA® Refrigerated Counters with Drawer (Fan Cooling)



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- Drawer capacity : GN 1/1 1500 mm.
- Working temperature; 0° C , + 5° C (at ambient temp. 43° C)
- 220 V-230 V -1 +N -50 60 Hz electrical power.
- “CFC Free” , R-134 A refrigerant gas.
- 40 kg/m3 density.
- Electronic temperature and defrosting control and display.
- Automatic evaporation of water during defrosting.
- Removable,conditioning compressor.
- Fan cooling.
- “Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self closing doors .
- Rounded front top edges.
- Copper tube evaporator with aluminum fins.
- Adjustable,stainless steel shelf housing, plastic coated shelves.
- Stainless steel body.

CD	Dimensions mm	NPC
oe		eo a
ds		t w p
ec		ea
ri		k r ci
p		g kty
ti		w lt

o	a	b	c
n			



ER15009003
ex7005...0
frx850 930
ig 5
e
r
a
t
e
d
C
o
u
n
t
e
r,
2
D
r
a
w
e
r
s
+
1
D
o
o
r
(

E 20001105
Rx7002...0
ex8500230
fr 5
ig
e
r
a
t
e
d
C
o
u
n
t
e
r,
2
D
r
a
w
e
r
s
+
2
D
o
o
r

r
s
(

ER20001105
ex7002..0
frx8500230
ig5
e
r
a
t
e
d
C
o
u
n
t
e
r,

4
D
r
a
w
e
r
s
+
1
D
o
o
r
(

ER25501107
ex7004..0
frx8505550
ig0
e
r
a
t
e
d
C
o
u
n
t
e
r,
2
D
r
a
w
e
r
s

+
3
D
o
o
r
s
(

ER 2550 1 1 0 7
e x700 4 . . 0
fr x850 5 5 5 0
ig 0
e
r
a
t
e
d
C
o
u
n
t
e
r,
4
D
r
a
w
e
r
s
+
2
D
o
o
r
s
(

ER 2550 1 1 0 7
e x700 4 . . 0
fr x850 5 5 5 0
ig 0
e
r
a
t
e
d
C
o
u
n
t
e
r,
6
D
r

a
w
e
r
s
+
1
D
o
o
r
(

Reviews

There are yet no reviews for this product.