

LUX BITOLA® Gas Deck Oven (Digital Control)



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description Lpg or Natural Gas.

- 4.3 inch touch screen LCD control panel.
- Illustrated food menu upload option through external memory.
- 99 different cooking programme.
- Food name defining option through touch screen.
- Manual and periodic steamer.
- User manual accessibility through touch screen.
- Adjustable cooking time.
- Adjustable cooking temperature between 0° C- 350° C
- Safety thermostat for overheating protection (400° C).
- PID system provide sensitive heating (SSR relay)
- Power:25.5 Kw 220 V
- Steam generator(optional) power:2.7 Kw
- Max temperature:350° C
- Capacity. 6 no's of 300x400 mm trays or 3 no's of 400x600 mm trays.
- Interior dimension:1230 mm x 650 mm
- Adjustable top and bottom heating output.
- Homogenous heat distribution.
- Stainless steel pipe resistance.
- Stainless steel body.
- According to demand single,double or triple layer options.

Fermentation Cabinet

- 3 Kw power.
- 1800x1120 mm dimension.

- 3x5 layers. (400 mm x 600 mm)
- Adjustable temperature and humidity levels.

CD oe ds ec ri p ti o n	Dimensions mm			l n t e ri o g r D i	NP eo tw e r k w
	a	b	c		

EG19001312
a x10921.5
s 5x61302.
D 5 0 85
e x K
c 6 w
k 5 2
O 0 2
v x 0
e 2 V
n 2 3
(0 -
S 5
in 0
gl H
e z
L
a
y
e
r)
-
S
t
o
n
e
T
y
p
e
EG19001312
a x10921.5
s 5x61302.
D 5 0 85
e x K
c 6 w
k 5 2
O 0 2
v x 0
e 2 V
n 2 3
(0 -
S 5
in 0
gl H
e z
L
a
y
e

r)
-
S
t
e
el
T
y
p
e
EH1900 30
o x115 3 .
o 0x28 6
d 3 2

EF 1900 4 1 0 3
e x830 18 . K
r x570 0 0 9w
x 2
6 2
9 0
5 V
x 3
3 -
4 5
5 0
H
Z
EB 1900 6 1
o x910 6 .
tt x872 7
o 5

E 1900 2 0
x112 3 .
0x30 6
0 0

ES 700x 0 2
t 200x . .
e 288 0 7
a 4K
w
3
8
0
V
3
-
5
0
H
Z

Reviews

There are yet no reviews for this product.