

LUX BITOLA® Plus Convection Ovens (Electric)



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- 7 inch touch screen LCD control panel.
- Illustrated food menu upload option through external memory.
- 99 different kind of programme upload options.
- Food name defining option through touch screen.
- Manual and periodic steamer.
- User manual accessibility through touch screen.
- Adjustable cooking time.
- Adjustable cooking temperature between 0° C- 300° C
- Safety thermostat for overheating protection (360° C).
- PID system provide sensitive heating (SSR relay)
- Retractable shower.
- 2 speed stainless steel fan.
- Dual direction fan provides homogenous heat distribution.
- Silicone sealed tempered glass.
- Easy-access interior glass in order to provide cleanning.
- Door switch system.
- Stainless steel body.

EMP.EKF-6

- Thermostatic heating control setting.
- Digital controlled cooking time and temperature.
- Dual direction fan provides homogenous heat distribution.
- Manuel steamer.
- Silicone sealed tempered glass.

Ovens : LUX BITOLA® Plus Convection Ovens (Electric)

- Switch system on the door.
- Stainless steel body.

CD oe ds ec ri p ti o n	Dimensions mm			NPC eo a t w p ea r ci kty wlt
	a	b	c	
EC 800x 8096				
o 855x 5 . KG				
n 700 4wN				
v 7 - -				
e 31				
ct 8 /				
io 01				
n V				
O				
v				
e				
n				
-				
E				
le				
ct				
ri				
c				
al				
EP 1000 1111				
lux100 3 . 50				
s 0x1151KG				
C 00 wN				
o 3 -				
n 81				
v 0 /				
e V1				
ct 3				
io -				
n 5				
O 0				
v H				
e z				
n				
s				
-				
E				
le				
ct				
ri				
c				
al				
EP 1120 1122				
lux107 3 . 50				
s 0x1503KG				
C 00 wN				
o 3 -				
n 81				
v 0 /				
e V1				
ct 3 /				
io - 1				
n 50				
O 0G				
v HN				

Ovens : LUX BITOLA®; Plus Convection Ovens (Electric)

e z -
n 2
s /
- 1
E
le
ct
ri
c
al
EE 1060 2 0
x910 8 .
x640 6
1

EE 1180 3 0
x980 2 .
x640 7
4

EE 865x 2 0
815x 4 .
850 6
0

Reviews

There are yet no reviews for this product.