

LUX BITOLA® Refrigerated Pizza and Salad Preparation Counters



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- Capacity for 2 door refrigerator : 8 pieces of 1/4-100 gastronom container.
- Capacity for 3 door refrigerator:10 pieces 1/4-100 gastronom container.
- Working temperature; 0° C , + 5° C (at ambient temp.43° C)
- 220 V-230 V -1 +N -50 60 Hz electrical power.
- "CFC Free" , R-134 A refrigerant gas.
- 40 kg/m3 density.
- Electronic temperature and defrosting control and display.
- Automatic evaporation of water during defrosting.
- Removable,conditioning compressor.
- Fan cooling.
- "Ozone-friendly" 48 mm thickness polyurethane isolation.
- Self closing doors.
- Rounded front top edges.
- Copper tube evaporator with aluminum fins.
- Adjustable,stainless steel shelf housing,plastic coated shelves.
- Stainless steel body.

CD	Dimensions mm	NPC
oe		eo a
ds		t wp
ec		ea
ri		k r ci

p a b c
t i o n

g k t y
w l t

ER 1500 1 0 0 3
e x 700 1 . . 0
fr x 850 0 9 3 0
ig / 105 5
e 0
r
a
t
e
d
P
iz
z
a
a
n
d
S
al
a
d
P
r
e
p
a
r
a
t
i
o
n
C
o
u
n
t
e
r
(
D
o
u
bl
e
D
o
o
r
s
)

ER 2000 1 1 0 5
e x 700 3 . . 0
fr x 850 5 2 3 0
ig / 105 5
e 0
r
a
t
e
d
P
iz
z
a
a



Reviews

There are yet no reviews for this product.