

## LUX BITOLA® Refrigerated Pizza and Salad Preparation Counters



Rating: Not Rated Yet

**Price:**

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

### Description

- Capacity for 2 door refrigerator : 6 pieces of 1/4-100 gastronom container.
- Capacity for 3 door refrigerator: 8 pieces 1/4-100 gastronom container.
- Working temperature; 0° C , + 5° C (at ambient temp.43° C)
- 220 V-230 V -1 +N -50 60 Hz electrical power.
- "CFC Free" , 404 A refrigerant gas.
- 40 kg/m3 density.
- Electronic temperature and defrosting control and display.
- Automatic evaporation of water during defrosting.
- Removable,conditioning compressor.
- Fan cooling.
- "Ozone-friendly" 48 mm thickness polyurethane isolation.
- Self closing doors.
- Rounded front top edges.
- Copper tube evaporator with aluminum fins.
- Adjustable,stainless steel shelf housing,plastic coated shelves.
- Stainless steel body.

CD	Dimensions	NPC
oe	mm	eo a
ds		t w p
ec		ea
ri		k r ci

p	a	b	c
t			
i			
o			
n			

g	k	t	y
	w		l
	t		

ER 1500 1 0 0 3  
e x700 1 . . 0  
fr x850 0 9 4 0  
ig 5  
e  
r  
a  
t  
e  
d  
P  
iz  
z  
a  
a  
n  
d  
S  
al  
a  
d  
P  
r  
e  
p  
a  
r  
a  
t  
i  
o  
n  
C  
o  
u  
n  
t  
e  
r  
(  
D  
o  
u  
bl  
e  
D  
o  
o  
r  
s  
)

ER 2000 1 1 0 5  
e x700 3 . . 0  
fr x850 5 2 4 0  
ig 5  
e  
r  
a  
t  
e  
d  
P  
iz  
z  
a  
a



**Reviews**

There are yet no reviews for this product.