

LUX BITOLA® Venus Pastry Showcase



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

- Description Working temperature; 0° C, + 8° C (at ambient temp. 43° C)
- Interior engined refrigeration system
 - Under-set storage system.
 - Lift up safety front glass.
 - Cooling with fan.
 - Refrigerant gas:R-134 A
 - Led lighting system.
 - 40 kg/m3 density polyurathane isolation.
 - Optional wooden body colour.

Dimensions			N	EC
mm				
CD	a	b	t	le o
oe		c		ctol
ds				ri in
ec			k	k c g
ri			g	wPC
p				o a
ti				w p
o				e a
n				r ci
				k ty
				w k
				w
EV 1000 1 1 0 0 1				
e x750 7				
n x135 2 0 5 7 1				

u 0 1 5
s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
C
o
ol
in
g
)

EV100011
ex7505.
nx13580
u 0 1

s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
N
e
u
tr
al
)

EV100011 0
ex7506.
nx13550 7
u 0 1

s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
H
e
a

ti
n
g
)
EV 1300 2 1 0 0 1
e x750 2
n x135 4 2 5 9 7
u 0 8 3
s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
C
o
ol
in
g
)
EV 1300 2 1
e x750 0 .
n x135 4 2
u 0
s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
N
e
u
tr
al
)
EV 1300 2 1 0
e x750 1 . .
n x135 0 2 9
u 0 8
s
P
a
st
r
y
S
h
o
w
c

a
s
e
(
H
e
a
ti
n
g
)
EV 1600 2 1 0 0 1
e x750 7
n x135 6 5 5 9 7
u 0 8 3
s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
C
o
ol
in
g
)
EV 1600 2 1
e x750 5 .
n x135 0 5
u 0
s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
N
e
u
tr
al
)
EV 1600 2 1 0
e x750 5 . .
n x135 5 5 9
u 0 8
s
P
a
st

r
y
S
h
o
w
c
a
s
e
(
H
e
a
t
i
n
g
)
EV 2000 3 1 0 1 2
e x750 3
n x135 0 9 7 0 0
u 0 5 1 7
s
P
a
s
t
r
y
S
h
o
w
c
a
s
e
(
C
o
o
l
i
n
g
)
EV 2000 3 1
e x750 0 .
n x135 0 9
u 0
s
P
a
s
t
r
y
S
h
o
w
c
a
s
e
(
N
e
u
t
r
a
l
)
EV 2000 3 1 1

e x750 0 . .
n x135 5 9 0
u 0 1
s
P
a
st
r
y
S
h
o
w
c
a
s
e
(
H
e
a
t
i
n
g
)

Reviews

There are yet no reviews for this product.